


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.09

"TRY CLARKE"



W. B. CLARKE

*Horticultural Broker*

P. O. Box 343

SAN JOSE, CALIFORNIA

Phone S. J. 1776

November 1, 1924

LIST 2411

THIS LIST COVERS STOCK OFFERED BY

CLARKE NURSERY CO.

SAN JOSE, CALIF.

SEASON 1924-1925

PLEASE NOTE

All summer quotations not accepted to date are hereby cancelled.

GRADING. Plants that are wider than they are tall are graded by width.

QUANTITIES. Five or more plants of one kind and size will be supplied at 10 rate; 50 or more at 100 rate; 500 or more at 1000 rate.

POTS. Prices on pot grown stock do not include the pots and unless otherwise instructed plants will be removed from pots before shipping. If wanted in the pots they will be charged for at cost, but can be returned if desired and credit will be given.

PACKING. Will be charged for at cost as usual. Plants will be packed to secure lowest possible freight classification consistent with the nature of goods shipped.

SHIPPING. Our responsibility ceases when goods are delivered to transportation company in good order. They travel at buyer's risk. Please state distinctly whether you wish goods shipped by freight or express and where water shipment is possible be sure to specify by water or rail as you may prefer.

NOMENCLATURE. All plant names, both botanical and common, have been revised to conform with 1923 edition of "Standardized Plant Names" if listed in that book. The only exceptions are a few uncommon items and novelties which that work does not include. This standardized nomenclature should unquestionably be followed by everyone from now on.

This list covers items of which we now have a fairly good supply unsold. Many other things can be furnished in smaller quantities and quotations will be made on request. So if you want any ornamental stock not listed here write me about it.

This list is for the trade only and all prices are strictly net.

CONIFERS

Unless otherwise noted all plants in this section will be balled at prices quoted.

| | each rate | 10 rate | 100 rate |
|--------------------------------------------------------------------------------|--------------|------------|-------------|
| ABIES baborensis (Algerian Fir) 5½ to 6 ft..... | 7.00 | 6.50 | |
| 4½ to 6 ft..... | 5.50 | 5.00 | |
| 4 to 4½ ft..... | 5.00 | 4.50 | |
| CHAMAECYPARIS pisifera plumosa aurea, 1½ to 2 ft..... | 2.00 | 1.75 | |
| 15 to 18 in..... | 1.50 | 1.25 | |
| 12 to 15 in..... | 1.25 | 1.00 | |
| 10 to 12 in..... | 1.00 | .85 | |
| CRYPTOMERIA jap. elegans (Plume Cryptomeria), 4 in. pot, 10 to 12 in..... | .50 | .40 | .30 |
| CUPRESSUS arizonica (Arizona Cypress), 3 to 4 ft..... | 1.00 | .75 | .60 |
| 2 to 3 ft..... | .75 | .60 | .50 |
| 1½ to 2 ft..... | .60 | .50 | .40 |
| 4 in. pot, 1 to 1½ ft..... | .40 | .30 | .25 |
| glabra stricta (new), 1½ to 2 ft..... | 1.25 | 1.00 | |
| 1 to 1½ ft..... | 1.00 | .75 | |
| macrocarpa (Monterey Cypress), 7 to 8 ft..... | 2.00 | 1.75 | 1.50 |
| 6 to 7 ft..... | 1.50 | 1.25 | |
| 5 to 6 ft..... | 1.25 | 1.00 | |
| 4 in. pot, 2 to 3 ft..... | .40 | .30 | .25 |
| 4 in. pot, 1½ to 2 ft..... | .30 | .25 | .20 |
| sempervirens stricta (Columnar Italian Cypress) 2 to 3 ft..... | 1.25 | 1.00 | .75 |
| 1½ to 2 ft..... | .75 | .60 | .50 |
| 4 in. pot, 1 to 2 ft..... | .40 | .30 | .25 |
| 3 in. pot, 10 to 12 in..... | .25 | .20 | .15 |
| JUNIPERUS chin. albo-variegata (Whiteleaf Chinese Juniper), 2½ to 3 ft..... | 3.50 | 3.00 | |
| 2 to 2½ ft..... | 3.00 | 2.50 | |
| 1½ to 2 ft..... | 2.25 | 2.00 | |
| chinensis pfitzeriana (Pfitzer Juniper), 1 to 1½ ft..... | 1.25 | 1.00 | |
| 8 to 12 in..... | 1.00 | .75 | |
| sabina tamariscifolia (Tamarix Savin), 3 to 4 ft..... | 4.00 | 3.50 | |
| virginiana (Redcedar), 3 to 4 ft..... | 2.50 | 2.00 | |
| virginiana kosteriana (Koster Redcedar), 2½ to 3 ft..... | 2.50 | | |
| 8 to 12 in..... | 1.00 | .75 | |
| Wilson's weeping (Eureka's "new unnamed"), 3 to 4 ft..... | 4.00 | | |
| 2½ to 3 ft..... | 3.00 | 2.50 | |
| 1½ to 2 ft..... | 2.00 | 1.75 | |
| PICEA polita (Tigertail Spruce), 2 to 2½ ft..... | 3.00 | 2.50 | |
| 1½ to 2 ft..... | 2.50 | | |
| PODOCARPUS macrophylla (Yew Podocarpus), 1½ to 2 ft..... | 1.50 | 1.25 | |
| THUJA occidentalis rosenthali, 3 to 3½ ft..... | 3.50 | 3.00 | |
| orientalis (seedlings), (Oriental Arborvitae), 3 in. pot, stock..... | .25 | .20 | .15 |

BROAD LEAVED EVERGREENS

Unless otherwise noted all plants in this section will be balled at prices quoted.

| | each rate | 10 rate | 100 rate |
|-----------------------------------------------------------|--------------|------------|-------------|
| ABELIA grandiflora (Glossy Abelia), 1½ to 2 ft..... | .75 | .60 | .50 |
| 4 in. pot, 10 to 15 in..... | .35 | .30 | .25 |
| ACACIA armata (Kangaroo Thorn), 5 in. pot, 4 to 5 ft..... | .60 | .50 | .40 |
| 4 and 5 in. pot, 3 to 4 ft..... | .50 | .40 | .30 |
| 4 and 5 in. pot, 2 to 3 ft..... | .40 | .30 | .25 |
| 4 and 5 in. pot, 1½ to 2 ft..... | .35 | .25 | .20 |
| baileyana (Cootamundra Wattle), 5 in. pot, 3 to 4 ft..... | .75 | .60 | .50 |
| 5 in. pot, 2 to 3 ft..... | .60 | .50 | .40 |
| 5 in. pot, 1½ to 2 ft..... | .50 | .40 | .30 |
| cultriformis (Knife Acacia), 4 in. pot, 2 to 3 ft..... | .50 | .35 | .30 |
| 4 in. pot, 1½ to 2 ft..... | .40 | .30 | .25 |
| 4 in. pot, 1 to 1½ ft..... | .35 | .25 | .20 |

| | each rate | 10 rate | 100 rate |
|-------------------------------------------------------------------|--------------|------------|-------------|
| <i>decurrens dealbata</i> (mollissima) (Silver Wattle), | | | |
| 5 in. pot, 5 to 6 ft..... | 1.00 | .75 | .60 |
| 5 in. pot, 4 to 5 ft..... | .75 | .60 | .50 |
| 5 in. pot, 3 to 4 ft..... | .60 | .50 | .40 |
| 5 in. pot, 2 to 3 ft..... | .40 | .35 | .30 |
| 4 in. pot, 1½ to 2 ft..... | .35 | .25 | .20 |
| <i>latifolia</i> (Broadleaf Acacia), 5 in. pot, 5 to 6 ft..... | .75 | .50 | |
| 5 in. pot, 4 to 5 ft..... | .50 | .40 | .30 |
| 4 and 5 in. pot, 3 to 4 ft..... | .40 | .30 | .25 |
| 4 in. pot, 2 to 3 ft..... | .35 | .25 | .20 |
| 4 in. pot, 1½ to 2 ft..... | .30 | .20 | .18 |
| <i>melanoxylon</i> (Blackwood Acacia), 5 in. pot, 6 to 7 ft..... | 1.00 | .65 | |
| 5 in. pot, 5 to 6 ft..... | .75 | .50 | .40 |
| 5 in. pot, 4 to 5 ft..... | .60 | .40 | .35 |
| 5 in. pot, 3 to 4 ft..... | .50 | .35 | .30 |
| 4 in. pot, 2 to 3 ft..... | .40 | .30 | .25 |
| 4 in. pot, 1½ to 2 ft..... | .35 | .25 | .20 |
| <i>neriifolia</i> (floribunda), (Bald Acacia), | | | |
| 4 in. pot, 3 to 4 ft..... | .50 | .35 | .30 |
| 4 in. pot, 2 to 3 ft..... | .40 | .25 | .20 |
| <i>pycnantha</i> (Golden Wattle), 6 in. pot, 3 to 4 ft..... | .50 | .40 | |
| <i>ARBUTUS menziesi</i> (Madrone), 4 in. pot, 10 to 12 in..... | .75 | .60 | .50 |
| 4 in. pot, 8 to 10 in..... | .60 | .50 | .40 |
| 4 in. pot, 6 to 8 in..... | .50 | .40 | .30 |
| <i>AUCUBA japonica variegata</i> (Golddust Aucuba) | | | |
| 4 in. pot, 6 to 8 in..... | .40 | .35 | |
| <i>AZALEA hinodegiri</i> , 10 to 12 in..... | 1.25 | | |
| <i>BERBERIS atropurpurea</i> , 4 in. pot, 8 to 12 in..... | .40 | .30 | |
| <i>darwini</i> (Darwin Barberry), 3 and 4 in. pot, 6 to 8 in..... | .35 | .25 | .20 |
| <i>pruinosa</i> , 3 in. pot, 8 to 12 in..... | .40 | .30 | .25 |
| <i>stenophylla</i> (Rosemary Barberry), 3 to 4 ft..... | 1.25 | 1.00 | |
| 1½ to 2 ft..... | .60 | .50 | |
| 1 to 1½ ft..... | .50 | .40 | .35 |
| 8 to 12 in..... | .40 | .35 | .30 |
| <i>viridis</i> , 4 in. pot, 10 to 15 in..... | .40 | .30 | .25 |
| <i>wilsonae</i> ("subcaulialata"), (Wilson Barberry), | | | |
| 2 to 2½ ft..... | 1.25 | 1.00 | .75 |
| 1½ to 2 ft..... | 1.00 | .75 | .60 |
| 1 to 1½ ft..... | .75 | .60 | .50 |
| 8 to 12 in..... | .65 | .50 | .40 |
| 4 in. pot, 1½ to 2 ft..... | .40 | .30 | .25 |
| 4 in. pot, 1 to 1½ ft..... | .35 | .25 | .20 |
| 3 in. pot, 6 to 8 in..... | .30 | .20 | .15 |
| <i>BUDDLEIA asiatica</i> (White Butterflybush), | | | |
| 5 in. pot, 3 to 4 ft..... | .50 | .40 | |
| <i>dauidi superba</i> (Juno Butterflybush), | | | |
| 5 in. pot, 3 to 4 ft..... | .50 | .40 | .30 |
| <i>dauidi veitchiana</i> (Veitch Butterflybush), | | | |
| 5 in. pot, 4 to 5 ft..... | .75 | .50 | .40 |
| 4 and 5 in. pot, 3 to 4 ft..... | .50 | .40 | .30 |
| 4 in. pot, 2 to 3 ft..... | .40 | .30 | .25 |
| <i>farquhari</i> , 5 in. pot, 3 to 4 ft..... | .75 | .50 | .40 |
| 4 in. pot, 2 to 3 ft..... | .60 | .40 | |
| <i>lindleyana</i> (Lindley Butterflybush), | | | |
| 4 in. pot, 2 to 3 ft..... | .50 | .35 | .30 |
| <i>BUXUS sempervirens</i> (Common Box), | | | |
| lining out, bare roots, 12 to 15 in..... | .30 | .25 | .20 |
| 10 to 12 in..... | .25 | .20 | .15 |
| 6 to 10 in..... | .20 | .15 | .12 |
| 4 to 6 in..... | .15 | .10 | .08 |
| 2 to 4 in..... | .10 | .06 | .05 |
| <i>CALLISTEMON coccineus</i> (Scarlet Bottlebrush), | | | |
| 4 in. pot, 1½ to 2 ft..... | .35 | .25 | .20 |
| 3 in. pot, 10 to 15 in..... | .25 | .20 | .15 |
| <i>linearis</i> , 4 in. pot, 2 to 3 ft..... | .40 | .30 | .25 |
| <i>phoenicis</i> , 4 in. pot, 1½ to 2 ft..... | .35 | .25 | .20 |
| <i>rigidus</i> , 4 in. pot, 1½ to 2 ft..... | .35 | .25 | .20 |
| 3 in. pot, 10 to 15 in..... | .25 | .20 | .15 |
| Mixed hybrids, 4 in. pot, 1½ to 2 ft..... | .35 | .25 | .20 |
| <i>CASUARINA stricta</i> (Beefwood), 4 in. pot, 4 to 5 ft..... | .75 | .50 | .40 |
| 4 in. pot, 3 to 4 ft..... | .60 | .40 | .35 |

| | each rate | 10 rate | 100 rate |
|------------------------------------------------------------|--------------|------------|-------------|
| CEANOTHUS arboreus, seedlings, 4 and 5 in. pot, 2 to 3 ft. | .75 | .50 | .40 |
| cuttings, 4 in. pot, 2 to 3 ft. | .75 | .60 | |
| cuttings, 4 in. pot, 1½ to 2 ft. | .50 | .40 | |
| arboreus hybridus, 4 and 5 in. pot, 3 to 4 ft. | .75 | .60 | .50 |
| 4 and 5 in. pot, 2 to 3 ft. | .60 | .50 | .40 |
| 4 in. pot, 1½ to 2 ft. | .50 | .35 | .30 |
| divaricatus (Tall Mountain-Lilac), | | | |
| 5 in. pot, 1½ to 2 ft. | .40 | .30 | |
| Gloire de Versailles, 4 in. pot, 1 to 1½ ft. | .60 | .50 | |
| oliganthus, 5 in. pot, 2 to 3 ft. | .50 | .35 | .30 |
| 4 in. pot, 1½ to 2 ft. | .40 | .30 | .25 |
| rosea superba, 5 in. pot, 1 to 1½ ft. | .60 | .50 | |
| spinosus, 4 and 5 in. pot, 2 to 3 ft. | .50 | .35 | |
| 5 in. pot, 1½ to 2 ft. | .40 | .30 | |
| thyrsiflorus (Blueblossom), 5 in. pot, 3 to 4 ft. | .75 | .50 | |
| 5 in. pot, 2 to 3 ft. | .50 | .40 | .30 |
| 4 in. pot, 10 to 12 in. | .30 | .20 | |
| verrucosus, 5 in. pot, 2 to 3 ft. | .50 | .35 | .30 |
| 5 in. pot, 1½ to 2 ft. | .40 | .30 | .25 |
| CERATONIA siliqua (Carob), 5 in. pot, 2 to 3 ft. | .50 | .40 | |
| 5 in. pot, 1 to 2 ft. | .40 | .30 | .25 |
| CISTUS albidus (White Leaf Rockrose), | | | |
| 4 in. pot, 1 to 1½ ft. | .35 | .25 | .20 |
| ladaniferus maculatus (Brown-Eyed Rockrose), | | | |
| 4 in. pot, 6 to 10 in. | .40 | .30 | .25 |
| CITRUS, Dwarf Chinese Lemon, 5 in. pot, 1 ft. | .75 | .60 | |
| COPROSMA baueri (Coral Coprosma), 4 in. pot, 8 to 12 in. | .35 | .25 | .20 |
| 3 in. pot, 6 to 8 in. | .25 | .20 | .15 |
| 3 in. pot, 3 to 6 in. | .20 | .15 | .12 |
| COTONEASTER dielsiana (applanata), (Diels Cotoneaster), | | | |
| 4 in. pot, 1½ to 2 ft. | .40 | .30 | .25 |
| francheti (Franchet Cotoneaster), 2 to 3 ft. | 1.00 | .85 | |
| 1½ to 2 ft. | .75 | .60 | .50 |
| 1 to 1½ ft. | .65 | .50 | .40 |
| 4 in. pot, 1½ to 2 ft. | .40 | .30 | .25 |
| 4 in. pot, 1 to 1½ ft. | .35 | .25 | .20 |
| 3 in. pot, 6 to 8 in. | .25 | .20 | .15 |
| frigida (Himalayan Cotoneaster), 4 to 6 ft. | 1.50 | 1.25 | |
| 3 to 4 ft. | 1.25 | 1.00 | |
| harroviana (new), 4 in. pot, 1 to 1½ ft. | .75 | .50 | |
| 4 in. pot, 10 to 12 in. | .50 | .40 | |
| 3 in. pot, 3 to 6 in. | .35 | .25 | .20 |
| 2½ in. pot, 2 to 4 in. | .25 | .20 | .15 |
| horizontalis (Rock Cotoneaster), 2 to 3 ft. | 1.25 | 1.00 | .90 |
| 1½ to 2 ft. | 1.00 | .75 | .65 |
| 1 to 1½ ft. | .75 | .60 | .50 |
| 8 to 12 in. | .65 | .50 | .40 |
| pannosa (Silverleaf Cotoneaster), 3 to 3½ ft. | 1.50 | 1.25 | 1.00 |
| 2 to 3 ft. | 1.25 | 1.00 | .85 |
| 1½ to 2 ft. | 1.00 | .75 | .65 |
| 4 in. pot, 1½ to 2 ft. | .60 | .45 | .40 |
| 4 in. pot, 1 to 1½ ft. | .50 | .35 | .30 |
| 2½ and 3 in. pot, 2 to 4 in. | .25 | .20 | .15 |
| pyrenaica (Pyrenees Cotoneaster), 4 in. pot, 4 to 8 in. | .50 | .40 | |
| rugosa henryi, 5 in. pot, 1½ to 2 ft. | .50 | .40 | |
| schneideri, 2 to 3 ft. | 1.25 | 1.00 | |
| 1½ to 2 ft. | 1.00 | .75 | .60 |
| 1 to 1½ ft. | .75 | .60 | .50 |
| 4 in. pot, 1 to 1½ ft. | .50 | .30 | .25 |
| 3 in. pot, 3 to 4 in. | .25 | .20 | .15 |
| simonsi (Simons Cotoneaster), 3 to 4 ft. | 1.00 | .75 | |
| 4 in. pot, 2 to 3 ft. | .50 | .40 | |
| 4 in. pot, 1½ to 2 ft. | .40 | .30 | |
| 3 in. pot, 3 to 4 in. | .25 | .20 | .15 |
| zabeli, 3 in. pot, 3 to 6 in. | .25 | .20 | .15 |
| COTONEASTER Standards—top grafted | | | |
| Francheti (Franchet C.), | | | |
| 5 in. pot, 3 ft. stem, 1 yr. hd. | 1.25 | 1.00 | |
| microphylla (Rockspray), | | | |
| 5 in. pot, 2½ to 3 ft. stem, 2 yr. hd. | 2.00 | 1.50 | |
| 5 in. pot, 2 to 3 ft. stem, 1 yr. hd. | 1.50 | 1.25 | |

| | each rate | 10 rate | 100 rate |
|-------------------------------------------------------------------------------------------------|--------------|------------|-------------|
| microphylla thymifolia (Thyme Rockspray), 5 in. pot, 1½ to 2 ft. stem, 2 yr. hd..... | 1.25 | 1.00 | |
| pannosa (Silverleaf C.), 5 in. pot, 4 to 5 ft. stem, 1 yr. hd..... | 2.00 | 1.50 | |
| pyrenaica (Pyrenees C.), 5 in. pot, 1 to 1½ ft. stem, 2 yr. hd..... | 1.50 | 1.25 | |
| rugosa henryi, 5 in. pot, 1½ ft. stem, 2 yr. hd..... | 1.25 | 1.00 | |
| 7 in. pot, 5 ft. stem, 1 yr. hd..... | 2.00 | 1.75 | |
| salicifolia floccosa, 5 in. pot, 2½ to 3 ft. stem, 2 yr. hd..... | 1.50 | 1.25 | |
| 5 in. pot, 2 ft. stem, 2 yr. hd..... | 1.25 | 1.00 | |
| schneideri, 5 in. pot, 2 to 3 ft. stem, 2 yr. hd..... | 1.50 | 1.25 | |
| CYTISUS canariensis (Canary Broom), 4 in. pot, 3 to 4 ft..... | .50 | .40 | .35 |
| 4 in. pot, 1½ to 2 ft..... | .40 | .30 | .25 |
| 4 in. pot, 1 to 1½ ft..... | .35 | .25 | .20 |
| maderensis magnifoliosus (c. stenopetalus), (Leafy Madeira Broom), 4 in. pot, 4 to 5 ft..... | .75 | .50 | .40 |
| 4 in. pot, 1½ to 2 ft..... | .40 | .30 | .25 |
| 3 and 4 in. pot, 1 to 1½ ft..... | .35 | .25 | .20 |
| multiflorus (White Spanish Broom), 4 in. pot, 1 to 1½ ft..... | .35 | .25 | .20 |
| praecox luteus, 4 and 5 in. pot, 10 to 12 in..... | .40 | .35 | |
| 4 in. pot, 6 to 8 in..... | .30 | .25 | |
| racemosus (cuttings), (Easter Broom), 6 in. pot, 10 to 15 in..... | .75 | .60 | .50 |
| racemosus (seedlings), 4 in. pot, 2 to 3 ft..... | .50 | .35 | |
| 4 in. pot, 1½ to 2 ft..... | .40 | .30 | .25 |
| DIOSMA ericoides (Breath-of-Heaven), 4 in. pot, 8 to 12 in..... | .40 | .30 | |
| reevesi, 1 to 1½ ft..... | .75 | .60 | .50 |
| 8 to 12 in..... | .65 | .50 | |
| 4 in. pot, 6 to 12 in..... | .40 | .30 | .25 |
| 4 in. pot, 4 to 6 in..... | .30 | .25 | .20 |
| 2½ in. pot, 2 to 4 in..... | .20 | .15 | .12 |
| ERIOBOTRYA japonica (Loquat), 4 in. pot, 6 to 10 in..... | .40 | .30 | .25 |
| ESCALLONIA rosea (Rose Escallonia), 3 to 3½ ft..... | 1.25 | 1.00 | |
| 2½ to 3 ft..... | 1.00 | .75 | |
| rubra glabriuscula (Red Escallonia), 1 to 1½ ft..... | .75 | .60 | .50 |
| 3 and 4 in. pot, 8 to 12 in..... | .35 | .25 | .20 |
| sanguinea, 3 to 4 ft..... | 1.50 | 1.25 | |
| 2 to 3 ft..... | 1.25 | .85 | .75 |
| 1½ to 2 ft..... | 1.00 | .75 | |
| 4 in. pot, 1 to 1½ ft..... | .35 | .25 | .20 |
| EUGENIA apiculata (Myrtus luma), (Shortleaf Eugenia), 4 in. pot, 1 to 1½ ft..... | .30 | .25 | |
| EUONYMUS jap. microphyllus (Boxleaf Burningbush), 10 to 12 in..... | .60 | .50 | |
| jap. mic. albo-variegatus (Silveredge Boxleaf Burningbush), 1 to 1½ ft..... | .75 | .60 | |
| jap. aureo-marginatus (Giltedge Burningbush), 4 in. pot, 8 to 12 in..... | .40 | .30 | .25 |
| 4 in. pot, 6 to 8 in..... | .35 | .25 | .20 |
| FEIJOA sellowiana (Feijoa), 6 in. pot, 2½ to 3 ft..... | .75 | .60 | |
| GENISTA elatior, 4 in. pot, 10 to 12 in..... | .40 | .35 | .25 |
| monosperma (Bridal-veil Broom), 4 in. pot, 1 to 1½ ft..... | .50 | .40 | |
| Also see Cytisus and Spartium for other "Brooms". | | | |
| GREVILLEA robusta (Silk-Oak), 5 in. pot, 1½ to 2 ft..... | .40 | .30 | .25 |
| 4 in. pot, 1 to 1½ ft..... | .35 | .25 | .20 |
| 3 in. pot, 6 to 8 in..... | .25 | .20 | .15 |
| HAKEA pugioniformis, 5 in. pot, 2½ to 3 ft..... | .50 | .40 | |
| HYPERICUM moserianum (Goldflower), 4 in. pot, 1 to 1½ ft..... | .40 | .30 | .25 |
| patulum henryi (Henry Hypericum), 1½ to 2 ft..... | 1.00 | .75 | .60 |
| 6 in. pot, 3 to 4 ft..... | .75 | .50 | |
| 4 in. pot, 1 to 1½ ft..... | .40 | .30 | .25 |
| ILEX aquifolium (self-fertile) (English Holly), ("Dutch" type), 7 to 8 ft..... | 8.00 | 7.00 | |
| 6 to 7 ft..... | 7.00 | 6.00 | |
| 5 to 6 ft..... | 6.00 | 5.00 | |
| 4 to 5 ft..... | 5.00 | 4.00 | |
| 2½ to 3 ft..... | 3.00 | 2.75 | |
| 2 to 2½ ft..... | 2.50 | 2.25 | |
| 1½ to 2 ft..... | 2.00 | 1.75 | |

| | each rate | 10 rate | 100 rate |
|---------------------------------------------------------------------------------|--------------|------------|-------------|
| ILEX (Holly)—Cont'd. | | | |
| aquifolium (seedlings), 2½ in. pot, 2 to 4 in..... | .25 | .20 | .15 |
| Van Tol, 5 to 6 ft..... | 6.00 | 5.00 | |
| 3 to 4 ft..... | 4.00 | | |
| LAUROCERASUS caroliniana (Carolina Cherry-Laurel), | | | |
| 5 in. pot, 1½ to 2 ft..... | .40 | .30 | .25 |
| LEPTOSPERMUM laevigatum (Australian Tea-Tree), | | | |
| 4 and 5 in. pot, 2 to 3 ft..... | .50 | .35 | .30 |
| 4 and 5 in. pot, 1½ to 2 ft..... | .40 | .30 | .25 |
| LIGUSTRUM ovalifolium variegatum (Golden California Privet), 1 to 1½ ft..... | | | |
| 4 in. pot, 1½ to 2 ft..... | .65 | .50 | .40 |
| 4 in. pot, 1 to 1½ ft..... | .50 | .40 | |
| 4 in. pot, 1 to 1½ ft..... | .40 | .30 | |
| 4 in. pot, 6 to 10 in..... | .35 | .25 | .20 |
| 3 in. pot, 8 to 12 in..... | .25 | .20 | .15 |
| LONICERA nitida (Box Honeysuckle), 2 to 3 ft..... | | | |
| 1½ to 2 ft..... | 1.00 | .75 | .65 |
| 3 in. pot, 1 to 1½ ft..... | .75 | .60 | .50 |
| 3 in. pot, 1 to 1½ ft..... | .25 | .20 | .15 |
| MAHONIA aquifolium (Oregon Hollygrape), 3 to 3½ ft..... | | | |
| 2½ to 3 ft..... | 2.00 | 1.75 | 1.50 |
| 8 to 12 in..... | 1.75 | 1.50 | 1.25 |
| 8 to 12 in..... | .65 | .50 | .40 |
| bealei (japonica), (Leatherleaf Holly Grape), | | | |
| 2 to 2½ ft..... | 1.25 | 1.00 | |
| 1½ to 2 ft..... | 1.00 | .75 | .60 |
| 1 to 1½ ft..... | .75 | .60 | .50 |
| 2½ in. pot, 2 to 4 in..... | .15 | .12 | .10 |
| MELALEUCA ericifolia (Heath Melaleuca), 5 in. pot, 6 ft..... | | | |
| 4 in. pot, 2 to 2½ ft..... | .50 | .40 | .35 |
| 4 in. pot, 2 to 2½ ft..... | .40 | .30 | .25 |
| hypericifolia (oppositifolia), (Dotted Melaleuca), | | | |
| 4 in. pot, 2½ to 3 ft..... | .40 | .30 | .25 |
| MYRTUS communis (True Myrtle), 1½ to 2 ft..... | | | |
| 1 to 1½ ft..... | .75 | .60 | .50 |
| 8 to 12 in..... | .65 | .50 | .40 |
| 8 to 12 in..... | .50 | .40 | .35 |
| 4 in. pot, 1 to 1½ ft..... | .40 | .30 | .25 |
| 3 in. pot, 6 to 8 in..... | .25 | .20 | .15 |
| communis microphylla (Rosemary Myrtle), | | | |
| 2½ and 3 in. pot, 4 to 8 in..... | .25 | .20 | .15 |
| NANDINA domestica (Nandina), 5 in. pot, 8 to 12 in..... | | | |
| 4 in. pot, 6 to 10 in..... | .75 | .60 | .50 |
| 4 in. pot, 6 to 10 in..... | .60 | .50 | .40 |
| 3 and 4 in. pot, 4 to 6 in..... | .50 | .35 | .30 |
| PHOTINIA arbutifolia (Christmasberry; Toyon), | | | |
| 7 in. pot, 2½ to 3 ft..... | 1.00 | .85 | .75 |
| 5 in. pot, 1½ to 2 ft..... | .75 | .60 | .50 |
| 5 in. pot, 15 to 18 in..... | .60 | .50 | .40 |
| 5 in. pot, 12 to 15 in..... | .50 | .40 | .35 |
| 5 in. pot, 8 to 12 in..... | .40 | .35 | .30 |
| 4 in. pot, 6 to 10 in..... | .35 | .30 | .25 |
| glabra, 2½ to 3 ft..... | | | |
| 2 to 2½ ft..... | 1.25 | 1.00 | |
| 1½ to 2 ft..... | 1.00 | .75 | |
| 1½ to 2 ft..... | .75 | .60 | |
| 1 to 1½ ft..... | .65 | .50 | |
| PITOSPORUM eugenioides (Tarata), 2 to 3 ft..... | | | |
| 1 to 2 ft..... | 1.00 | .75 | .60 |
| 4 in. pot, 1½ to 2 ft..... | .75 | .50 | .40 |
| 4 in. pot, 1½ to 2 ft..... | .35 | .25 | .20 |
| 4 in. pot, 1 to 1½ ft..... | .30 | .20 | .18 |
| 2½ in. pot..... | .15 | .12 | .10 |
| phillyraeoides (Willow Pittosporum), | | | |
| 6 in. pot, 3 to 4 ft..... | .75 | .60 | |
| tenuifolium (nigricans), (Tawhiwhi), 3 to 4 ft..... | | | |
| 2 to 3 ft..... | 1.25 | 1.00 | .75 |
| 1 to 2 ft..... | 1.00 | .75 | .60 |
| 4 and 5 in. pot, 3 to 4 ft..... | .75 | .50 | .40 |
| 4 and 5 in. pot, 2 to 3 ft..... | .50 | .35 | .30 |
| 4 and 5 in. pot, 2 to 3 ft..... | .40 | .30 | .25 |
| 4 in. pot, 1½ to 2 ft..... | .35 | .25 | .20 |
| tobira (Tobira), 3 in. pot, 6 to 10 in..... | | | |
| 3 in. pot, 6 to 10 in..... | .30 | .25 | .20 |
| PRUNUS ilicifolia (Hollyleaf Cherry), 3 in. pot, 6 to 10 in..... | | | |
| 3 in. pot, 6 to 10 in..... | .30 | .25 | .20 |
| lyoni (integrifolia) (Catalina Cherry), | | | |
| 4 in. pot, 6 to 12 in..... | .30 | .25 | .20 |
| PYRACANTHA angustifolia (Narrowleaf Firethorn), | | | |
| balled and established, 4 to 5 ft..... | 2.00 | 1.50 | |
| balled and established, 3 to 4 ft..... | 1.75 | 1.25 | 1.00 |
| 2 to 3 ft..... | 1.50 | 1.00 | .75 |
| 1½ to 2 ft..... | 1.00 | .75 | .60 |

| | each rate | 10 rate | 100 rate |
|----------------------------------------------------------|--------------|------------|-------------|
| 5 in. pot, 2 to 3 ft..... | .50 | .40 | .35 |
| 4 in. pot, 2 to 3 ft..... | .40 | .35 | .30 |
| 4 in. pot, 1½ to 2 ft..... | .35 | .30 | .25 |
| 3 in. pot, 6 to 12 in..... | .25 | .20 | .15 |
| coccinea (lalandi seedlings) (Firethorn), 3 to 4 ft..... | 1.25 | 1.00 | .85 |
| 2½ to 3 ft..... | 1.00 | .75 | .65 |
| 4 in. pot, 1 to 1½ ft..... | .40 | .30 | .25 |
| coccinea lalandi (cuttings) (Laland Firethorn), | | | |
| 1½ to 2 ft..... | 1.00 | .75 | |
| 4 in. pot, 8 to 10 in..... | .40 | .30 | |
| crenulata (Nepal Firethorn), | | | |
| balled and established, 3 to 4 ft..... | 1.75 | 1.25 | |
| 2 to 3 ft..... | 1.50 | 1.00 | .75 |
| 1½ to 2 ft..... | .75 | .60 | .50 |
| 4 in. pot, 1½ to 2 ft..... | .50 | .35 | .30 |
| 3 in. pot, 6 to 8 in..... | .25 | .20 | .15 |
| formosana (new) (Formosa Firethorn), 3 to 4 ft..... | 2.50 | 2.00 | |
| kansuensis (new), 1½ to 2 ft..... | 1.00 | .75 | |
| yunnanensis (Yunnan Firethorn), 3 to 3½ ft..... | 1.25 | 1.00 | .75 |
| 2 to 3 ft..... | 1.00 | .75 | .60 |
| 7 in. pot, 3 to 4 ft..... | .75 | .60 | |
| 6 in. pot, 2 to 3 ft..... | .60 | .50 | .40 |
| 6 in. pot, 1½ to 2 ft..... | .50 | .40 | .35 |
| 4 in. pot, 1½ to 2 ft..... | .40 | .35 | .30 |
| RAPHIOLEPIS indica rosea (Pink India-Hawthorn), | | | |
| 4 and 6 in. pot, 1 to 1½ ft..... | 1.00 | .75 | |
| umbellata ovata (Roundleaf Yeddo-Hawthorn), | | | |
| 1 to 1½ ft..... | .75 | .50 | |
| 8 to 12 in..... | .50 | .40 | |
| 4 in. pot, 6 to 8 in..... | .30 | .25 | .20 |
| 3 in. pot, 2 to 4 in..... | .25 | .20 | .15 |
| RHAMNUS californica (California Buckthorn), | | | |
| 4 in. pot, 2 to 3 ft..... | .40 | .30 | .25 |
| RHODODENDRON, Himalayan, 10 in..... | .75 | .60 | |
| SCHINUS molle (California Peppertree), | | | |
| 5 and 6 in. pot, 5 to 6 ft..... | .75 | .60 | .50 |
| 5 in. pot, 4 to 5 ft..... | .60 | .50 | .40 |
| 5 in. pot, 3 to 4 ft..... | .50 | .40 | .30 |
| 4 in. pot, 1½ to 2 ft..... | .40 | .30 | .25 |
| 4 in. pot, 1 to 1½ ft..... | .35 | .25 | .20 |
| SPARTIUM junceum (Spanish Broom), (Weavers Broom), | | | |
| 4 in. pot, 2 to 3 ft..... | .40 | .30 | .25 |
| junceum nanum (Dwarf Weavers Broom), | | | |
| 4 in. pot, 10 to 12 in..... | .50 | .40 | |
| VERONICA buxifolia, 6 to 8 in..... | .50 | .40 | .35 |
| 2½ in. pot, 4 to 6 in..... | .20 | .15 | .10 |
| chathamica, 1 to 1½ ft..... | .50 | .40 | .35 |
| cupressoides, 1½ to 2 ft..... | 1.50 | 1.25 | |
| 10 to 12 in..... | .75 | .60 | .50 |
| 8 to 10 in..... | .60 | .50 | .40 |
| decussata (Blue Speedwell), 1½ to 2 ft..... | .75 | .60 | .50 |
| 1 to 1½ ft..... | .65 | .50 | .40 |
| 8 to 12 in..... | .50 | .40 | .35 |
| 4 in. pot, 12 to 15 in..... | .30 | .25 | .20 |
| hulkeana, 1½ to 2 ft..... | .75 | .60 | .50 |
| imperialis (Imperial Speedwell), 10 to 12 in..... | .65 | .50 | |
| 4 in. pot, 6 to 10 in..... | .40 | .30 | |
| pimelioides, 8 to 12 in..... | .65 | .50 | .40 |
| 6 to 8 in..... | .50 | .40 | .35 |
| pinguifolia, 8 to 12 in..... | .50 | .40 | .35 |
| 6 to 8 in..... | .40 | .35 | |
| 2½ in. pot, 6 to 8 in..... | .15 | .12 | .10 |
| traversi (Bush Speedwell), 10 to 12 in..... | .60 | .50 | .40 |
| 8 to 10 in..... | .50 | .35 | .30 |
| 2½ in. pot, 6 to 8 in..... | .15 | .12 | .10 |
| VIBURNUM tinus (Laurustinus), 1½ to 2 ft..... | 1.00 | .75 | .60 |
| 1 to 1½ ft..... | .75 | .60 | .50 |
| 8 to 12 in..... | .60 | .50 | .40 |
| odoratissimum (Sweet Viburnum), 1½ to 2 ft..... | 1.00 | .75 | .60 |
| 3 in. pot, 4 to 8 in..... | .25 | .20 | .15 |
| rhytidophyllum, 1½ to 2 ft..... | 1.00 | .75 | .60 |
| 1 to 1½ ft..... | .75 | .60 | .50 |
| 3 in. pot, 4 to 6 in..... | .40 | .30 | .25 |

FLOWERING FRUIT TREES

All plants in this section will be dug with bare roots.

FLOWERING APPLE

| | each rate | 10 rate | 100 rate |
|------------------------------------------------------------------|--------------|------------|-------------|
| MALUS floribunda (Jap. Flowering Crab), 2 yr., 4 to 6 ft..... | 1.25 | 1.00 | |
| halliana parkmani (Parkman Crab), 2 yr. 4 to 6 ft..... | 1.50 | 1.25 | |
| 2 yr. 3 to 4 ft..... | 1.25 | 1.00 | |
| 1 yr. 4 to 6 ft..... | 1.00 | .75 | |
| ioensis bechteli (Bechtel Crab), 1 yr. 1½ to 2 ft..... | .75 | .60 | .50 |
| 1 yr. 1 to 1½ ft..... | .60 | .50 | .40 |
| niedzwetzkyana (Redvein Crab), 2 yr. 6 to 7 ft..... | 1.25 | 1.00 | |
| 2 yr. 5 to 6 ft..... | 1.00 | .75 | |
| 1 yr. 4 to 6 ft..... | .75 | .60 | |
| 1 yr. 3 to 4 ft..... | .60 | .50 | |
| 1 yr. 2 to 3 ft..... | .50 | .40 | |
| scheideckeri (Scheidecker Crab), 2 yr. 6 to 7 ft..... | 1.50 | 1.25 | |
| 2 yr. 4 to 6 ft..... | 1.25 | 1.00 | |
| 2 yr. 3 to 4 ft..... | 1.00 | .75 | |
| spectabilis (Chinese Flowering Crab), 2 yr. 4 to 6 ft..... | 1.25 | 1.00 | |
| 2 yr. 3 to 4 ft..... | 1.00 | .75 | |
| 1 yr. 4 to 6 ft..... | 1.00 | .75 | |
| 1 yr. 3 to 4 ft..... | .75 | .60 | |
| Large Flesh Pink, 2 yr. 4 to 6 ft..... | 1.25 | 1.00 | |
| 1 yr. 4 to 6 ft..... | 1.00 | .75 | |

FLOWERING APRICOTS

| | | | |
|--------------------------------------------------------------------------------|------|------|-----|
| PRUNUS Mume "Dawn" (large, double pink), (Japanese Apricot), 6 to 7 ft..... | 1.25 | 1.00 | |
| 4 to 6 ft..... | 1.00 | .85 | .75 |
| 3 to 4 ft..... | .85 | .75 | .60 |
| 2 to 3 ft..... | .75 | .60 | |

FLOWERING CHERRIES

Sold Out for This Season

FLOWERING PLUMS

| | | | |
|----------------------------------------------------------------------------------------|------|------|-----|
| PRUNUS bliriana—double pink, purple leaves, 3 to 4 ft..... | .75 | .60 | |
| 2 to 3 ft..... | .60 | .50 | |
| cerasifera pissardi—single white, purple leaves, (Purple Leaf Plum), 6 to 7 ft..... | 1.25 | 1.00 | |
| 4 to 6 ft..... | 1.00 | .75 | .60 |
| 3 to 4 ft..... | .75 | .60 | .50 |
| 2 to 3 ft..... | .60 | .50 | .40 |
| triloba (single pink) (Flowering Plum), 3 to 4 ft..... | .75 | .60 | |
| 2 to 3 ft..... | .60 | .50 | |
| vesuvius—single white, large purple leaves, 4 to 6 ft..... | 1.00 | .75 | |
| 3 to 4 ft..... | .75 | .60 | |
| 2 to 3 ft..... | .60 | .50 | |

DECIDUOUS TREES

All plants in this section will be dug with bare roots.

| | | | |
|-----------------------------------------------------------------------------------------|------|------|------|
| ACER dasycarpum (Silver Maple), 12 to 14 ft..... | 1.75 | 1.50 | |
| 10 to 12 ft..... | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft..... | 1.25 | 1.00 | .75 |
| 4 to 6 ft..... | .75 | .60 | |
| platanoides schwedleri (Schwedler Maple), 4 to 6 ft..... | 1.00 | .75 | |
| ALBIZZIA julibrissin (Silk Tree), 5 to 6 ft..... | 1.00 | .75 | |
| 4 to 5 ft..... | .75 | .60 | .50 |
| 3 to 4 ft..... | .60 | .50 | |
| BETULA pendula gracilis (lac. pend.) (Cutleaf Weeping Birch). Sold out for this season. | | | |
| CRATAEGUS carrieri (Carriere Hawthorn), 3 to 4 ft..... | .75 | .65 | |
| 2 to 3 ft..... | .60 | .50 | |
| oxyacantha, Double White, 6 to 8 ft..... | 1.25 | 1.10 | 1.00 |
| 4 to 6 ft..... | 1.00 | .85 | .75 |
| 3 to 4 ft..... | .75 | .65 | |
| 2 to 3 ft..... | .60 | .50 | |

| | each rate | 10 rate | 100 rate |
|----------------------------------------------------------|--------------|------------|-------------|
| oxyacantha splendens (Paul Dbl. Scarlet Hawthorn), | | | |
| 4 to 6 ft..... | 1.00 | .85 | .75 |
| 2 to 3 ft..... | .60 | .50 | .40 |
| GINKGO biloba (Maidenhair Tree), 10 to 12 ft..... | 2.00 | 1.75 | |
| 8 to 10 ft..... | 1.75 | 1.50 | |
| 6 to 8 ft..... | 1.50 | 1.25 | 1.00 |
| 4 to 6 ft..... | 1.25 | 1.00 | |
| LABURNUM vossi (new, long clustered), 4 to 5 ft..... | 1.50 | 1.25 | |
| 3 to 4 ft..... | 1.25 | 1.00 | |
| 2 to 3 ft..... | 1.00 | .75 | |
| 1 to 2 ft..... | .75 | .60 | |
| vulgare (Goldenchain), 8 to 10 ft..... | 1.25 | 1.00 | |
| 6 to 8 ft..... | 1.00 | .75 | |
| 4 to 6 ft..... | .75 | .60 | |
| 3 to 4 ft..... | .60 | .50 | |
| LIQUIDAMBAR styraciflua (Sweetgum), 3 to 4 ft..... | .75 | .60 | |
| 2 to 3 ft..... | .60 | .50 | |
| 1 to 2 ft..... | .50 | .40 | |
| LIRIODENDRON tulipifera (Tuliptree), 2 to 3 ft..... | .50 | .40 | |
| 1 to 2 ft..... | .40 | .30 | |
| PLATANUS orientalis (European Planetree), 6 to 8 ft..... | 1.00 | .75 | .65 |
| 4 to 6 ft..... | .75 | .60 | .50 |
| 3 to 4 ft..... | .60 | .50 | .40 |
| POPULUS nigra italica (Lombardy Poplar), | | | |
| old stock, well branched, 4 to 6 ft..... | .60 | .50 | .40 |
| 3 to 4 ft..... | .50 | .40 | .30 |
| young stock, lightly branched, 4 to 6 ft..... | .50 | .40 | .30 |
| 3 to 4 ft..... | .40 | .30 | .25 |
| simoni fastigiata (new) (Narrow Simon Poplar), | | | |
| 4 to 6 ft..... | .75 | .60 | .50 |
| "Flagpole" Poplar (new), 6 to 8 ft..... | 1.00 | .85 | .75 |
| 4 to 6 ft..... | .75 | .60 | |
| QUERCUS rubra (Red Oak), 4 to 5 ft..... | 1.00 | .75 | |
| 3 to 4 ft..... | .75 | .60 | |
| ROBINIA pseudacacia decaisneana (Decaisne Locust), | | | |
| 14 to 16 ft..... | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft..... | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft..... | 1.25 | 1.00 | .75 |
| 4 to 6 ft..... | 1.00 | .75 | .60 |
| SALIX vitellina aurea (Golden Willow), 3 to 4 ft..... | .50 | .40 | |
| 2 to 3 ft..... | .40 | .30 | .25 |
| TILIA americana (American Linden), 12 to 14 ft..... | 2.00 | 1.50 | |
| 10 to 12 ft..... | 1.50 | 1.25 | |
| 8 to 10 ft..... | 1.25 | 1.00 | |
| ULMUS americana (American Elm), 6 to 8 ft..... | 1.00 | .75 | .60 |
| 4 to 6 ft..... | .75 | .60 | .50 |

DECIDUOUS SHRUBS

Unless otherwise noted all plants in this section will be dug with bare roots.

| | | | |
|-------------------------------------------------------|------|-----|-----|
| CALYCANTHUS floridus (Common Sweetshrub), | | | |
| 1½ to 2 ft..... | .50 | .40 | |
| CARYOPTERIS incana (Common Bluebeard), 2 to 3 ft..... | .50 | .40 | .35 |
| DEUTZIA crenata staphyleoides (new), 2 to 3 ft..... | .75 | .60 | |
| gracilis (Slender Deutzia), 1½ to 2 ft..... | .50 | .40 | .35 |
| 1 to 1½ ft..... | .40 | .30 | .25 |
| 8 to 12 in..... | .30 | .25 | .20 |
| lemoinei (Lemoine Deutzia), 1 to 2 ft..... | .50 | .40 | |
| magnifica, 5 to 6 ft..... | 1.00 | .75 | |
| 3 to 4 ft..... | .75 | .60 | .50 |
| 2 to 3 ft..... | .60 | .50 | |
| Pride of Rochester, 5 to 6 ft..... | .75 | .60 | |
| 4 to 5 ft..... | .60 | .50 | |
| 3 to 4 ft..... | .50 | .40 | .30 |
| 2 to 3 ft..... | .40 | .30 | .25 |

| | each rate | 10 rate | 100 rate |
|-------------------------------------------------------------------------------|--------------|------------|-------------|
| DEUTZIA—Cont'd. | | | |
| rosea, 4 to 5 ft..... | .75 | .60 | .50 |
| 3 to 4 ft..... | .60 | .50 | .40 |
| 2 to 3 ft..... | .50 | .40 | .30 |
| 1½ to 2 ft..... | .25 | .20 | .15 |
| scabra candidissima (Snowflake Deutzia), 4 to 5 ft... | .50 | .40 | .30 |
| 3 to 4 ft..... | .40 | .30 | .25 |
| scabra crenata, 3 to 4 ft..... | .50 | .40 | |
| EXOCHORDA grandiflora (Common Pearlbush), 4 to 5 ft... | | | |
| 3 to 4 ft..... | .75 | .60 | .50 |
| 2 to 3 ft..... | .60 | .50 | .40 |
| 2 to 3 ft..... | .50 | .40 | .35 |
| FORSYTHIA intermedia (Border Forsythia), 4 to 6 ft..... | | | |
| 2½ to 3 ft..... | 1.00 | .75 | .60 |
| 2½ to 3 ft..... | .60 | .50 | .40 |
| intermedia spectabilis (Showy Border Forsythia), | | | |
| 3 to 4 ft..... | 1.00 | .75 | |
| suspensa fortunei (Fortune Forsythia), 4 to 5 ft..... | .75 | .60 | |
| 2 to 3 ft..... | .50 | .40 | |
| HIBISCUS syriacus (Shrub-Althea), amplissima, 3 to 4 ft. | | | |
| bicolor, 2 to 3 ft..... | .60 | .50 | |
| 1 to 2 ft..... | .50 | .40 | .30 |
| 1 to 2 ft..... | .40 | .30 | |
| Boule de Feu, 2 to 3 ft..... | .50 | .40 | .30 |
| 1 to 2 ft..... | .40 | .30 | |
| pink, 2 to 3 ft..... | .50 | .40 | |
| HYDRANGEA paniculata grandiflora (Peegee), 1 to 1½ ft. | | | |
| | .40 | .30 | .25 |
| KERRIA japonica fl. pl. (Double Kerria), 3 to 4 ft..... | | | |
| | .75 | .60 | .50 |
| 2 to 3 ft..... | .50 | .40 | |
| LIPPIA citriodora (Lemon Verbena), 4 to 6 ft..... | | | |
| | .75 | .60 | |
| PHILADELPHUS (Mockorange), Albatre (new), 2 to 3 ft. | | | |
| | .75 | .60 | |
| 1 to 1½ ft..... | .50 | .40 | |
| Avalanche (new), 4 to 5 ft..... | 1.00 | .75 | |
| Bouquet Blanc (new), 2 to 3 ft..... | .75 | .60 | |
| 1 to 2 ft..... | .50 | .40 | |
| coronarius (Sweet Mockorange), 3 to 4 ft..... | .60 | .50 | |
| 2 to 3 ft..... | .50 | .40 | .30 |
| Dame Blanche (new), 2 to 3 ft..... | .75 | .60 | |
| Favorite (new), 3 to 4 ft..... | 1.00 | .75 | |
| 2 to 3 ft..... | .75 | .60 | |
| Girandole (new), 2 to 3 ft..... | .75 | .60 | |
| grandiflorus, 3 to 4 ft..... | .60 | .50 | .40 |
| speciosus (new), 4 to 5 ft..... | 1.00 | .75 | |
| 1 to 2 ft..... | .50 | .40 | |
| Virginal (new), 2 to 3 ft..... | .75 | .60 | |
| PUNICA granatum Dbl. Scarlet Pomegranate | | | |
| 3 to 4 ft..... | 1.00 | .75 | |
| 2 to 3 ft..... | .75 | .60 | |
| granatum Dbl. White Pomegranate, 4 to 6 ft..... | .75 | .60 | |
| 3 to 4 ft..... | .60 | .50 | |
| 2 to 3 ft..... | .50 | .40 | |
| SALIX (French Pussy Willow), 4 to 5 ft..... | | | |
| | .60 | .50 | .40 |
| 3 to 4 ft..... | .50 | .40 | .30 |
| 2½ to 3 ft..... | .40 | .30 | .25 |
| SPIREA Anthony Waterer, 8 to 12 in..... | | | |
| | .40 | .35 | .30 |
| billiardi (Billiard Spirea), 4 to 5 ft..... | .60 | .50 | .40 |
| 3 to 4 ft..... | .50 | .40 | .30 |
| 2 to 3 ft..... | .40 | .30 | .25 |
| froebeli (Froebel Spirea), 1½ to 2 ft..... | .50 | .40 | .35 |
| 1 to 1½ ft..... | .40 | .30 | .25 |
| reevesiana (cantoniensis) (Double Reeves Spirea), mixed with single form), | | | |
| 2 to 3 ft..... | .40 | .35 | .30 |
| 1 to 2 ft..... | .35 | .30 | .25 |
| thunbergi (Thunberg Spirea), 1 to 1½ ft..... | .40 | .35 | |
| vanhouttei (Vanhoutte Spirea), 2 to 3 ft..... | .60 | .50 | .40 |
| 1½ to 2 ft..... | .40 | .35 | .30 |
| 1 to 1½ ft..... | .35 | .30 | .25 |

| | each rate | 10 rate | 100 rate |
|-----------------------------------------------------|--------------|------------|-------------|
| SYRINGA persica (Persian Lilac), 1 to 1½ ft..... | .40 | .30 | .25 |
| vulgaris (Common Lilac), 2 to 3 ft..... | .50 | .40 | .35 |
| vulgaris alba (Common White Lilac), 1½ to 2 ft..... | .50 | .40 | |
| Named varieties budded, 1 yr..... | .60 | .50 | .40 |

Our collection is made up of the 10 best doubles and 10 best singles selected from over 200 recent varieties. These one year buds vary in height from 8 to 30 inches according to growth of variety but price is uniform regardless of size. They are mainly unbranched. Orders will be booked only for our selection of varieties, but we will be guided by your instructions as to single and double, color, number of kinds, etc.

| | | | |
|---------------------------------------------------------|------|-----|-----|
| Named varieties, budded, 2 yr., same varieties | | | |
| 2 to 3 ft..... | 1.00 | .75 | |
| 1½ to 2 ft..... | .75 | .60 | |
| 1 to 1½ ft..... | .60 | .50 | |
| TAMARIX pentandra (Five Stamen Tamarix), 6 to 8 ft..... | 1.00 | .75 | .60 |
| 4 to 6 ft..... | .75 | .60 | .50 |
| 3 to 4 ft..... | .60 | .50 | .40 |
| WEIGELA, Assorted, 3 to 4 ft..... | .75 | .65 | |
| 2 to 3 ft..... | .60 | .50 | |
| 1½ to 2 ft..... | .40 | .35 | |
| amabilis (Rose Weigela). | | | |
| candida (Snow Weigela). | | | |
| chameleon (Changeable Weigela). | | | |
| rosea (Pink Weigela). | | | |

CLIMBERS

| | | | |
|----------------------------------------------------------------------------------------------|-----|-----|-----|
| BIGNONIA grandiflora (Chinese Trumpet Creeper), 4 in. pot, 1½ to 2 ft..... | .50 | .40 | .35 |
| CHORIZEMA cordatum, 4 in. pot, 8 to 12 in..... | .50 | .40 | |
| CLEMATIS armandi (new), (Armand Clematis), 4 in. pot, 6 to 12 in..... | .75 | .50 | |
| montana (Anemone Clematis), 4 in. pot, 2 to 3 ft..... | .40 | .30 | .25 |
| montana rubens (Pink Anemone Clematis), 5 in. pot, 3 to 4 ft..... | .75 | .60 | |
| EUONYMUS radicans vegetus (Bigleaf Winter Creeper), 4 in. pot, 1½ to 2 ft..... | .40 | .30 | .25 |
| GELSEMIUM sempervirens (Carolina-Jessamine), 4 in. pot, 1 to 2 ft..... | .35 | .25 | |
| HARDENBERGIA bimaculata grandiflora, 4 in. pot, 1½ to 2 ft..... | .40 | .30 | |
| comptoniana, 4 in. pot, 1 to 1½ ft..... | .50 | .40 | |
| monophylla, 4 in. pot, 1½ to 2 ft..... | .40 | .30 | .25 |
| monophylla alba, 4 and 5 in. pot, 2 to 3 ft..... | .50 | .40 | .35 |
| monophylla lilacina, 4 in. pot, 1 to 1½ ft..... | .40 | .30 | |
| JASMINUM beesianum (Rosy Jasmine), 4 in. pot, 3 to 4 ft..... | .50 | .35 | .30 |
| 4 in. pot, 2 to 3 ft..... | .40 | .30 | .25 |
| primulinum (Primrose Jasmine), 5 in. pot, 3 to 4 ft..... | .50 | .40 | .35 |
| 4 in. pot, 2 to 3 ft..... | .40 | .30 | .25 |
| 3 and 4 in. pot, 1 to 1½ ft..... | .35 | .25 | .20 |
| LONICERA japonica aureoreticulata (Yellownet Jap. Honeysuckle), 4 in. pot, 2 to 3 ft..... | .35 | .25 | .20 |
| japonica chinensis (Purple Jap. Honeysuckle), 5 in. pot, 5 to 6 ft..... | .50 | .40 | |
| 4 in. pot, 2 to 3 ft..... | .35 | .25 | .20 |
| japonica halliana (Hall Jap. Honeysuckle), 4 in. pot, 3 to 4 ft..... | .40 | .30 | .25 |
| 4 in. pot, 2 to 3 ft..... | .35 | .25 | .20 |
| Scarlet Trumpet, balled, 1½ to 2 ft..... | .60 | .50 | .40 |
| 4 in. pot, 2 to 3 ft..... | .50 | .35 | |
| 4 in. pot, 1 to 1½ ft..... | .40 | .30 | .25 |
| PANDOREA australis (Tecoma) (Australian Pandorea), 4 in. pot, 2 to 3 ft..... | .40 | .30 | |

| | each rate | 10 rate | 100 rate |
|---------------------------------------------------|--------------|------------|-------------|
| PHILADELPHUS mexicana (Mexican Mockorange), | | | |
| balled, 2 to 3 ft..... | 1.00 | .75 | |
| balled, 1 to 2 ft..... | .75 | .60 | |
| SOLANUM jasminoides (Jasmine Nightshade), | | | |
| 4 in. pot, 3 to 4 ft..... | .50 | .35 | .30 |
| 4 in. pot, 2 to 3 ft..... | .40 | .30 | .25 |
| WISTERIA—Grafted—bare roots | | | |
| sinensis (Chinese Wisteria), 1 yr..... | .75 | .60 | .50 |
| venusta (white) (Silky Wisteria), 2 yr..... | 1.50 | 1.25 | |
| Pink (color true), 2 yr..... | 2.00 | 1.50 | |
| 1 yr. | 1.00 | .75 | |
| WISTARIA—Seedlings—2 and 3 yr. bare roots | | | |
| multijuga (Long Cluster Wisteria), 2 to 3 ft..... | 1.00 | .85 | .75 |
| 1½ to 2 ft..... | .85 | .75 | .60 |
| 1 to 1½ ft..... | .75 | .60 | .50 |
| sinensis (Chinese Wisteria), 2 to 3 ft..... | 1.00 | .75 | .60 |
| 1½ to 2 ft..... | .75 | .60 | .50 |
| 1 to 1½ ft..... | .60 | .50 | .40 |

MISCELLANEOUS

| | | | |
|------------------------------------------------------|-----|-----|-----|
| DRACAENA indivisa, 3 and 4 in. pot, 10 to 15 in..... | .35 | .30 | .25 |
|------------------------------------------------------|-----|-----|-----|

ROSES

* I think it is safe to say that I am offering the greatest assortment of novelties in this country and a very complete line of the unusual varieties as well. Roses will be offered in separate lists. Write any time for list corrected down to date. I handle both budded and own root stock and my connections with growers enable me to supply anything if it is obtainable at all.